



Stella Doradus Ireland Ltd.

2.6GHz Base Station antenna

Part No.: 26 6008H



*The 26 6008H is a base station point to point antenna designed for use in high density RF environments
The excellent radiation characteristics are the distinguishing features of these antennas*

Electrical Specifications

| | |
|---------------------------|------------|
| Gain | 18dBi |
| 3dB beam Pattern | 60° x 8° |
| Bandwidth | 2.5-2.7GHz |
| VSWR | 1.8 : 1 |
| Front to Back Ratio | 34dB |
| Polarization | Horizontal |
| Power Rating | 50W |
| Impedance | 50 ohms |
| Termination | N-female |
| Cross Pol. Discrimination | 28dB |
| Surge Protection | Built in |


Mechanical Specifications

| | |
|---------------------|--------------|
| Length | 100cm |
| Width | 17cm |
| Depth | 10 cm |
| Weight | 2Kg |
| Windage(at 216km/h) | 49kg |
| Mechanical Tilt | 0-25 degrees |
| Mounting Pipe | 5 cm pipe |

Materials

| | |
|-------------------|------------------------------------|
| Radiating Element | Beam forming PCB patch array |
| Radome (feed) | ABS Grey |
| Clamps | HDG steel + galvanised steel bolts |

26 6008H Azimuth Pattern



26 6008H Elevation Pattern

